ELSEVIER

Clinica Chimica Acta 296 (2000) 219–220

www.elsevier.com/locate/clinchim

Author index

Volume 296 (2000)

Abe, S., see Moriyama, A. **296**, 181
Amino, N., see Tagawa, N. **296**, 193
Arai, K., see Sumi, S. **296**, 111
Arai, Y., Yajima, T., Yagihashi, A., Kobayashi, D., Kameshima, H., Sasaki, M., Tanaka, K., Kuwajima, K., Miyao, N., Tsukamoto, T., Watanabe, N., Limitations of urinary telomerase activity measurement in urothelial cancer **296**, 35
Ash, K.O., see Komaromy-Hiller, G. **296**, 71

Binette, J.P., Binette, M.B., The proteins and the formation of gallstones **296**, 59
Binette, M.B., see Binette, J.P. **296**, 59
Blanca, M., see Matés, J.M. **296**, 1
Blanco, R., see López-Achigar, E. **296**, 213
Boelaert, J.R., see Kasvosve, I. **296**, 163

Collazo, C., see López-Achigar, E. **296**, 213
Costa, R., see Komaromy-Hiller, G. **296**, 71
Čurčić, I., see Topić, E. **296**, 101

Delanghe, J.R., see Kasvosve, I. **296**, 163

Endres, W., see Röschinger, W. **296**, 91

Fujinami, A., see Tagawa, N. **296**, 193
Fukao, H., Ikeda, M., Ichikawa, T., Inufusa, H., Okada, K., Ueshima, S., Matsuo, O., Effect of hyperthermia on the viability and the fibrinolytic potential of human cancer cell lines **296**, 17

Gangaidzo, I.T., see Kasvosve, I. **296**, 163
Gomo, Z.A.R., see Kasvosve, I. **296**, 163
Gordeuk, V.R., see Kasvosve, I. **296**, 163

Howerton, K., see Komaromy-Hiller, G. **296**, 71

Ichikawa, T., see Fukao, H. **296**, 17
Ikeda, H., see Moriyama, T. **296**, 171
Ikeda, M., see Fukao, H. **296**, 17
Inufusa, H., see Fukao, H. **296**, 17
Ivanišević, A.M., see Topić, E. **296**, 101

Kameshima, H., see Arai, Y. **296**, 35
Kasvosve, I., Gomo, Z.A.R., Gangaidzo, I.T., Mvundura, E., Saungweme, T., Moyo, V.M., Khumalo, H., Boelaert, J.R., Gordeuk, V.R., Delanghe, J.R., Reference range of serum haptoglobin is haptoglobin phenotype-dependent in blacks **296**, 163
Kato, S., see Kimura, E. **296**, 45
Kawahara, T., see Kimura, E. **296**, 45
Khumalo, H., see Kasvosve, I. **296**, 163
Kiguchi, T., see Tagawa, N. **296**, 193
Kimura, E., Matsumoto, K., Samori, T., Kato, S., Kawahara, T., One-step enzyme-linked immunosorbent assay (ELISA) for measurement of serum free leptin **296**, 45
Kishimoto, T., see Kosaka, T. **296**, 151
Kitahara, S., see Sumi, S. **296**, 111
Kobayashi, D., see Arai, Y. **296**, 35
Kobayashi, Y., see Tagawa, N. **296**, 193
Kohgo, Y., see Moriyama, T. **296**, 171
Komaromy-Hiller, G., Ash, K.O., Costa, R., Howerton, K., Comparison of representative ranges based on U.S patient population and literature reference intervals for urinary trace elements **296**, 71
Kosaka, T., Yamaguchi, M., Soda, Y., Kishimoto, T., Tago, A., Toyosato, M., Mizuno, K., Spectrophotometric assay for serum platelet-activating factor acetylhydrolase activity **296**, 151
Kuwajima, K., see Arai, Y. **296**, 35

PII: S0009-8981(00)00280-1

López-Achigar, E., Collazo, C., Blanco, R., Raymondo, S., Supporting the cost-effectiveness of a thyroid testing algorithm **296**, 213

Masumoto, A., see Moriyama, A. **296**, 181
Matés, J.M., Pérez-Gómez, C., Blanca, M., Chemical and biological activity of free radical 'scavengers' in allergic diseases **296**, 1
Matsumoto, K., see Kimura, E. **296**, 45
Matsuno, K., see Moriyama, T. **296**, 171
Matsuo, O., see Fukao, H. **296**, 17
Miyao, N., see Arai, Y. **296**, 35
Mizuno, K., see Kosaka, T. **296**, 151
Moriyama, A., Tabaru, A., Unoki, H., Abe, S., Masumoto, A., Otsuki, M., Plasma nitrite/nitrate concentrations as a tumor marker for hepatocellular carcinoma **296**, 181
Moriyama, T., Torimoto, Y., Kohgo, Y., Ikeda, H., Matsuno, K., Immunochemical characterization of monoclonal protein in the serum of a patient with Waldenström's macroglobulinemia showing both pyroglobulin and cryoglobulin properties **296**, 171
Moyo, V.M., see Kasvosve, I. **296**, 163
Mvundura, E., see Kasvosve, I. **296**, 163

Naito, T., see Tagawa, N. **296**, 193
Nakajima, K., see Okazaki, M. **296**, 135
Nakano, T., see Okazaki, M. **296**, 135

Okada, K., see Fukao, H. **296**, 17
Okazaki, M., Usui, S., Tada, N., Nakano, T., Nakajima, K., Relation between RLP-triglyceride to RLP-cholesterol ratio and particle size distribution in RLP-cholesterol profiles by HPLC **296**, 135
Otsuki, M., see Moriyama, A. **296**, 181

Pérez-Gómez, C., see Matés, J.M. **296**, 1
Petrinović, R., see Topić, E. **296**, 101

Raja, A., see Rao, G.M. **296**, 203
Rao, A., see Rao, G.M. **296**, 203
Rao, A.V., see Rao, G.M. **296**, 203
Rao, G.M., Rao, A.V., Raja, A., Rao, S., Rao, A., Role of antioxidant enzymes in brain tumours **296**, 203
Rao, S., see Rao, G.M. **296**, 203
Raymondo, S., see López-Achigar, E. **296**, 213
Röschinger, W., Endres, W., Shin, Y.S., Characteristics of L-ornithine: 2-oxoacid aminotransferase and potential prenatal diagnosis of gyrate atrophy of the choroid and retina by first trimester chorionic villus sampling **296**, 91

Samori, T., see Kimura, E. **296**, 45
Sasaki, M., see Arai, Y. **296**, 35
Saungweme, T., see Kasvosve, I. **296**, 163
Shin, Y.S., see Röschinger, W. **296**, 91
Soda, Y., see Kosaka, T. **296**, 151
Štefanović, M., see Topić, E. **296**, 101
Sumi, S., Arai, K., Kitahara, S., Yoshida, K.-i., Preliminary report of the clinical performance of a new urinary bladder cancer antigen test: comparison to voided urine cytology in the detection of transitional cell carcinoma of the bladder **296**, 111

Tabaru, A., see Moriyama, A. **296**, 181
Tada, N., see Okazaki, M. **296**, 135
Tagawa, N., Tamanaka, J., Fujinami, A., Kiguchi, T., Naito, T., Takano, T., Amino, N., Kobayashi, Y., Heterologous enzyme immunoassay for serum androstenediol **296**, 193
Tago, A., see Kosaka, T. **296**, 151
Takano, T., see Tagawa, N. **296**, 193
Tamanaka, J., see Tagawa, N. **296**, 193
Tanaka, K., see Arai, Y. **296**, 35
Topić, E., Štefanović, M., Ivanišević, A.M., Petrinović, R., Čurčić, I., The cytochrome P450 2D6 (CYP2D6) gene polymorphism among breast and head and neck cancer patients **296**, 101
Torimoto, Y., see Moriyama, T. **296**, 171
Toyosato, M., see Kosaka, T. **296**, 151
Tsukamoto, T., see Arai, Y. **296**, 35

Ueshima, S., see Fukao, H. **296**, 17
Unoki, H., see Moriyama, A. **296**, 181
Usui, S., see Okazaki, M. **296**, 135

Watanabe, N., see Arai, Y. **296**, 35

Xu, D.-y., see Zhao, S.-p. **296**, 121

Yagihashi, A., see Arai, Y. **296**, 35
Yajima, T., see Arai, Y. **296**, 35
Yamaguchi, M., see Kosaka, T. **296**, 151
Yoshida, K.-i., see Sumi, S. **296**, 111

Zhao, S.-p., Xu, D.-y., Oxidized lipoprotein(a) increases the expression of platelet-derived growth factor-B in human umbilical vein endothelial cells **296**, 121

ELSEVIER

Clinica Chimica Acta 296 (2000) 221–223

www.elsevier.com/locate/clinchim

Subject index

Volume 296 (2000)

Algorithm; Cost-effectiveness; Thyroid-testing **296**, 213

Allergy; Catalase; Glutathione peroxidase; Oxidative stress; Reactive oxygen species; Superoxide dismutase **296**, 1

Androstenediol; Enzyme immunoassay; Heterologous EIA; Homologous EIA **296**, 193

Antioxidant enzymes; Ceruloplasmin; Brain tumors **296**, 203

Atherosclerosis; Oxidized lipoprotein(a); PDGF-B **296**, 121

Bacteria; Proteins; Sequence; Gallstones **296**, 59

Bladder cancer; Urinary bladder cancer antigen test; Diagnostic performance **296**, 111

Brain tumors; Antioxidant enzymes; Ceruloplasmin **296**, 203

Breast cancer; CYP2D6 polymorphism; PCR-SSCP; Head and neck cancer **296**, 101

Cancer cell lines; Heat shock; u-PA receptor; Cellular fibrinolysis; Hyperthermia; Metastasis **296**, 17

Catalase; Allergy; Glutathione peroxidase; Oxidative stress; Reactive oxygen species; Superoxide dismutase **296**, 1

Cellular fibrinolysis; Heat shock; u-PA receptor; Cancer cell lines; Hyperthermia; Metastasis **296**, 17

Ceruloplasmin; Antioxidant enzymes; Brain tumors **296**, 203

Chorionic villi; Ornithine aminotransferase; OAT; Gyrate atrophy of the choroid and retina; Hyperornithinemia; Prenatal diagnosis **296**, 91

Cost-effectiveness; Algorithm; Thyroid-testing **296**, 213

Cryoglobulin; Waldenström's macroglobulinemia; Pyroglobulin **296**, 171

CYP2D6 polymorphism; PCR-SSCP; Breast cancer; Head and neck cancer **296**, 101

Diagnostic performance; Bladder cancer; Urinary bladder cancer antigen test **296**, 111

Electrophoresis; Haptoglobin; Hemoglobin; Polymorphism; Reference values **296**, 163

Enzyme immunoassay; Androstenediol; Heterologous EIA; Homologous EIA **296**, 193

Enzyme-linked immunoassay; Monoclonal antibodies; Leptin **296**, 45

Exfoliated cells; Telomerase activity; Voided urine; Urothelial cancer **296**, 35

α-Fetoprotein; Hepatocellular carcinoma; Nitric oxide; Nitrite/nitrate; Tumor marker **296**, 181

PII: S0009-8981(00)00281-3

Gallstones; Proteins; Sequence; Bacteria **296**, 59

Glutathione peroxidase; Allergy; Catalase; Oxidative stress; Reactive oxygen species; Superoxide dismutase **296**, 1

Gyrate atrophy of the choroid and retina; Ornithine aminotransferase; OAT; Hyperornithinemia; Prenatal diagnosis; Chorionic villi **296**, 91

HPLC; Remnant-like lipoproteins; Immunoseparation method; Particle size; Lipid composition of remnant lipoprotein; Hyperlipidemia **296**, 135

Haptoglobin; Electrophoresis; Hemoglobin; Polymorphism; Reference values **296**, 163

Head and neck cancer; CYP2D6 polymorphism; PCR-SSCP; Breast cancer **296**, 101

Heat shock; u-PA receptor; Cancer cell lines; Cellular fibrinolysis; Hyperthermia; Metastasis **296**, 17

Hemoglobin; Electrophoresis; Haptoglobin; Polymorphism; Reference values **296**, 163

Hepatocellular carcinoma; α-Fetoprotein; Nitric oxide; Nitrite/nitrate; Tumor marker **296**, 181

Heterologous EIA; Androstenediol; Enzyme immunoassay; Homologous EIA **296**, 193

Homologous EIA; Androstenediol; Enzyme immunoassay; Heterologous EIA **296**, 193

Hyperlipidemia; Remnant-like lipoproteins; HPLC; Immunoseparation method; Particle size; Lipid composition of remnant lipoprotein **296**, 135

Hyperornithinemia; Ornithine aminotransferase; OAT; Gyrate atrophy of the choroid and retina; Prenatal diagnosis; Chorionic villi **296**, 91

Hyperthermia; Heat shock; u-PA receptor; Cancer cell lines; Cellular fibrinolysis; Metastasis **296**, 17

Immunoseparation method; Remnant-like lipoproteins; HPLC; Particle size; Lipid composition of remnant lipoprotein; Hyperlipidemia **296**, 135

Leptin; Enzyme-linked immunoassay; Monoclonal antibodies **296**, 45

Lipid composition of remnant lipoprotein; Remnant-like lipoproteins; HPLC; Immunoseparation method; Particle size; Hyperlipidemia **296**, 135

Metastasis; Heat shock; u-PA receptor; Cancer cell lines; Cellular fibrinolysis; Hyperthermia **296**, 17

Monoclonal antibodies; Enzyme-linked immunoassay; Leptin **296**, 45

Nitric oxide; α-Fetoprotein; Hepatocellular carcinoma; Nitrite/nitrate; Tumor marker **296**, 181

Nitrite/nitrate; α-Fetoprotein; Hepatocellular carcinoma; Nitric oxide; Tumor marker **296**, 181

OAT; Ornithine aminotransferase; Gyrate atrophy of the choroid and retina; Hyperornithinemia; Prenatal diagnosis; Chorionic villi **296**, 91

Ornithine aminotransferase; OAT; Gyrate atrophy of the choroid and retina; Hyperornithinemia; Prenatal diagnosis; Chorionic villi **296**, 91

Oxidative stress; Allergy; Catalase; Glutathione peroxidase; Reactive oxygen species; Superoxide dismutase **296**, 1

Oxidized lipoprotein(a); PDGF-B; Atherosclerosis **296**, 121

PCR-SSCP; CYP2D6 polymorphism; Breast cancer; Head and neck cancer **296**, 101

PDGF-B; Oxidized lipoprotein(a); Atherosclerosis **296**, 121

Particle size; Remnant-like lipoproteins; HPLC; Immunoseparation method; Lipid composition of remnant lipoprotein; Hyperlipidemia **296**, 135

Platelet-activating factor acetylhydrolase; Spectrophotometry; Serum **296**, 151

Polymorphism; Electrophoresis; Haptoglobin; Hemoglobin; Reference values **296**, 163

Prenatal diagnosis; Ornithine aminotransferase; OAT; Gyrate atrophy of the choroid and retina; Hyperornithinemia; Chorionic villi **296**, 91

Proteins; Sequence; Gallstones; Bacteria **296**, 59

Pyroglobulin; Waldenström's macroglobulinemia; Cryoglobulin **296**, 171

Reactive oxygen species; Allergy; Catalase; Glutathione peroxidase; Oxidative stress; Superoxide dismutase **296**, 1

Reference intervals; Urine; Trace elements; Representative range **296**, 71

Reference values; Electrophoresis; Haptoglobin; Hemoglobin; Polymorphism **296**, 163

Remnant-like lipoproteins; HPLC; Immunoseparation method; Particle size; Lipid composition of remnant lipoprotein; Hyperlipidemia **296**, 135

Representative range; Urine; Trace elements; Reference intervals **296**, 71

Sequence; Proteins; Gallstones; Bacteria **296**, 59

Serum; Platelet-activating factor acetylhydrolase; Spectrophotometry **296**, 151

Spectrophotometry; Platelet-activating factor acetylhydrolase; Serum **296**, 151

Superoxide dismutase; Allergy; Catalase; Glutathione peroxidase; Oxidative stress; Reactive oxygen species **296**, 1

Telomerase activity; Exfoliated cells; Voided urine; Urothelial cancer **296**, 35

Thyroid-testing; Algorithm; Cost-effectiveness **296**, 213

Trace elements; Urine; Representative range; Reference intervals **296**, 71

Tumor marker; α-Fetoprotein; Hepatocellular carcinoma; Nitric oxide; Nitrite/nitrate **296**, 181

Urinary bladder cancer antigen test; Bladder cancer; Diagnostic performance **296**, 111

Urine; Trace elements; Representative range; Reference intervals **296**, 71

Urothelial cancer; Telomerase activity; Exfoliated cells; Voided urine **296**, 35

Voided urine; Telomerase activity; Exfoliated cells; Urothelial cancer **296**, 35

Waldenström's macroglobulinemia; Pyroglobulin; Cryoglobulin **296**, 171

u-PA receptor; Heat shock; Cancer cell lines; Cellular fibrinolysis; Hyperthermia; Metastasis **296**, 17